Philips AVENT
DECT Baby Monitor

Advanced monitoring
Vibration alert

SCD570/10

The most reliable connection to your baby

Advanced monitoring for you and your baby

Our new DECT SCD570/10 Baby Monitor delivers advanced monitoring. Providing the most reliable connection with crystal clear sound, temperature and humidity control, a soothing night light and lullabies for you and your baby.

DECT Technology

- DECT technology guarantees zero interference & 100% privacy
- Dynamic energy saving Smart ECO mode
- Energy saving ECO max
- Reassurance with crystal clear sound
- Choose the best sound level for your surroundings
- 5 LED lights to signal sound

Complete reassurance and Advanced comfort

- Always know that your are connected
- Range up to 330 meters*
- Docking station to recharge your parent unit
- Superior operating time
- Comforting nightlight and lullabies to calm your little one
- Stay connected with talk back
- Monitor the temperature in the baby's room

asimpleswitch.com

PHILIPS
AVENT

Highlights

5 LED lights

Lights are activated to indicate the level of sound in your baby's room. Even when the Parent Unit is muted.

Always connected

The parent unit of Philips AVENT baby monitor will alert when the power is low or if you are out of range.

Crystal clear sound

Hear every tiny giggle, gurgle and hic-up with perfect clarity. DECT technology provides high quality, crystal clear sound so you can hear your baby anytime.

ECO max

Switch on the ECO max to reduces transmission power in the baby room. In the ECO max the units only connect when the baby makes a sound.

Night light and lullabies

There's nothing like a gentle lullaby and a warm tranquil glow of a night light to calm a restless baby. From any room in the house you can select one of 5 relaxing tunes and switch on the nigh light, helping your baby to drift effortlessly to sleep in no time. (Remote activation not available in US and Canada)

Smart ECO mode

The unique Smart ECO mode automatically minimizes your transmission power and increases your battery lifetime. The closer you are to your baby, the less power is needed for a perfect connection (not available in US and Canada).

Temperature sensor

The temperature sensor with custimized alert allows you to monitor the climate in baby's room. Your baby can't regulate its body temperature as well as you can and a slight change in temperature can make your baby restless. A customized temperature sensor will immediately alert you, through the digital display on the parent unit, if the climate in your baby's room changes.

Vibration alert

Personalize your alert settings and get notified by a silent and subtle vibration of the parent unit.

asimpleswitch.com

Philips Green Logo

Philips Green Products can reduce costs, energy consumption and CO2 emissions. How? They offer a significant environmental improvement in one or more of the Philips Green Focal Areas – Energy efficiency, Packaging, Hazardous substances, Weight, Recycling and disposal and Lifetime reliability.

DECT Baby Monitor
Advanced monitoring Vibration alert

SCD570/10

Specifications

Power
- Operating time on battery: 18 hour(s)
- Power supply: 220-240 V
- Charging time: 10 hour(s)
- Power supply: 120 V (US)

Tuner/Reception/Transmission
- Frequency band: DECT
- Automatic channel selection

Convenience
- Battery low indication
- Volume control
- Auto out of range warning
- Sound-level lights
- Battery charging indication
- Sensitivity control

Technical specifications
- Operating temperature range: 10 - 40 °C
- Storage temperature range: 10 - 40 °C

Logistic data
- F-box dimensions (W x H x D): 220 x 156 x 94 mm

Development stages
- Stages: Pregnancy, 0 - 6 months

Features
- DECT Technology
- Smart ECO mode
- ECO Max
- Battery low indication
- Linked and in range indication
- Sound activation light: 5x
- Volume control
- Sound sensitivity control
- Comforting night light
- Talk back function
- Soothing lullabies
- LCD Screen
- Temperature sensor
- Charging station
- Peaceful night mode
- Vibration alert
- Indoor range up to: 50 meters
- Outdoor range up to: 330 meters

Issue date 2014-07-18

Version: 4.0.1

© 2014 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com